



# Exploring the Potential of Lesser-Known Crops for Sustainable Agriculture: A Review with Focus on Nutritional Value, Environmental Benefits and Integration Challenges

Nida Bushra <sup>a\*</sup>, Aymen Javed <sup>b</sup>, Zohaib Anwar Bhatti <sup>c</sup>,  
Susan Muhammad <sup>d\*</sup>, Rizwana Nasreen <sup>e</sup>,  
Zulqarnain Abbas <sup>f</sup>, Aiman Asif <sup>g</sup>, Muhammad Qamar <sup>d</sup>,  
Nadia Ghulam Muhammad <sup>e</sup> and Muhammad Ali Nawaz <sup>a</sup>

<sup>a</sup> Institute of Food and Nutritional Sciences (IFNS), Pir Mehr Ali Shah Arid Agriculture University, Rawalpindi, Pakistan.

<sup>b</sup> Government College University Faisalabad, Pakistan.

<sup>c</sup> Centre of Agricultural, Biochemistry and Biotechnology, University of Agriculture, Faisalabad, Pakistan.

<sup>d</sup> Department of Plant Breeding and Genetics, University of Agriculture, Faisalabad, Pakistan.

<sup>e</sup> Department of Plant Breeding and Genetics, College of Agriculture, University of Sardogha Pakistan.

<sup>f</sup> Institute of Plant Protection (Plant Pathology), MNS-University of Agriculture Multan, Pakistan.

<sup>g</sup> Riphah International University, Faisalabad, Pakistan.

## **Authors' contributions**

*This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.*

## **Article Information**

### **Open Peer Review History:**

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/115694>

**Review Article**

**Received: 13/02/2024**

**Accepted: 17/04/2024**

**Published: 27/04/2024**

## ABSTRACT

Monoculture practices and reliance on a handful of major crops have led to vulnerabilities in global food security and environmental sustainability. Lesser-known crops (LKC), like orange-fleshed sweet potato, moringa leaves, jamun fruit, lentils, and amaranth leaves, offer a promising alternative. LKCs boast high nutritional value, resilience to climate change, and the potential to thrive in diverse environments. This review explores the potential of LKCs to drive sustainable agriculture, focusing on their nutritional profiles, environmental benefits, and challenges associated with integrating them into mainstream agriculture.

The review examines various LKC categories, including underutilized pulses, tubers, vegetables, and fruits. Their potential contributions to dietary diversity, addressing micronutrient deficiencies, and overall food security are highlighted. The environmental benefits of LKCs, such as reduced water footprint, improved soil health, and increased biodiversity, are also explored. Pakistan's specific context is incorporated, including the prevalence of malnutrition, challenges faced by the agricultural sector, and potential LKCs suitable for local conditions. The review identifies opportunities and constraints related to LKC adoption in Pakistan, encompassing factors like consumer awareness, market access, research and development, and government policies. Finally, recommendations are provided to promote LKC utilization in Pakistan. These include raising awareness among consumers and policymakers, establishing robust value chains, conducting research on LKC cultivation and processing, and implementing supportive government policies.

*Keywords: Lesser-known crops cultivation; global food system; climate change; sustainable agriculture.*

## 1. INTRODUCTION

The global food system faces a critical crossroads. Feeding a growing population while mitigating climate change and ensuring environmental sustainability requires a significant transformation. Our current agricultural practices, often reliant on monoculture and a handful of major crops like wheat, rice, and maize, are increasingly vulnerable to these challenges [1].

Lesser-known crops (LKCs) emerge as a compelling solution. These diverse crops, sometimes referred to as underutilized crops, have been largely neglected or underutilized in mainstream agriculture. However, they offer a treasure trove of benefits that can revolutionize our food systems.

LKCs typically boast exceptional nutritional profiles, packed with essential vitamins, minerals, and dietary fiber often missing from major staples [2]. This makes them particularly valuable in addressing widespread micronutrient deficiencies, a significant public health concern in many developing countries [3]. Additionally, their diverse genetic makeup allows them to thrive in various environments and demonstrate remarkable resilience to climate change stresses [4]. This inherent resilience is crucial for adapting agricultural practices to a changing climate with increasing water scarcity and unpredictable weather patterns [5].

Furthermore, LKCs contribute significantly to environmental sustainability. Their diverse root systems promote soil health, improve water infiltration, and reduce erosion [5]. Some LKC varieties possess nitrogen-fixing properties, enhancing soil fertility and reducing reliance on synthetic fertilizers [6]. Integrating LKCs into cropping systems fosters biodiversity, creating a more resilient agricultural landscape in the face of climate change [6].

The potential of LKCs extends beyond these core benefits. They often require fewer external inputs like fertilizers and pesticides due to their natural adaptations [4]. Additionally, many LKC varieties have shorter growing seasons and lower water requirements compared to major crops, making them particularly suitable for water-scarce regions (Rüdisüli et al., 2016).

## 2. OVERVIEW OF SUSTAINABLE AGRICULTURE PRACTICES AND PAKISTAN'S CONTEXT

Sustainable agriculture practices encompass a broad range of approaches aimed at meeting current food production needs without compromising the ability of future generations to meet their own. These practices prioritize environmental protection, resource conservation, and social equity alongside economic viability [7].

Here are some key principles of sustainable agriculture:

**Maintaining Soil Health:** This involves techniques like crop rotation, cover cropping, and organic matter addition to improve soil fertility, structure, and water infiltration capacity [8].

**Reducing Reliance on External Inputs:** Practices like integrated pest management (IPM) and biological nitrogen fixation help minimize the use of synthetic fertilizers and pesticides, promoting a more natural and balanced ecosystem. A 2023 study by Singh et al. [9] examines how these practices can minimize reliance on external inputs while promoting a balanced ecosystem.

**Conserving Water Resources:** Techniques like drip irrigation, rainwater harvesting, and drought-resistant crops optimize water use efficiency, particularly valuable in water-scarce regions [10]. A 2022 study by Castillo et al. [11,12] analyzes these techniques and their effectiveness in water-scarce regions.

**Promoting Biodiversity:** Encouraging a variety of plant and animal life within agricultural landscapes creates a more resilient ecosystem, fostering natural pest control and enhancing soil health. A recent review by Benton et al. [35] highlights the positive contributions of biodiversity in agricultural landscapes to a more resilient ecosystem.

### 3. PAKISTAN'S CHALLENGES AND OPPORTUNITIES IN SUSTAINABLE AGRICULTURE

Pakistan faces several challenges in adopting sustainable agricultural practices. Water scarcity is a major concern, with over-extraction from aquifers and inefficient irrigation systems leading to depletion [13]. Additionally, excessive use of chemical fertilizers has degraded soil health in many areas [14]. Fragmentation of landholdings presents another challenge, implementing some sustainable practices more difficult for small-scale farmers (Ali & Byerlee, 2001).

However, Pakistan also boasts several opportunities for advancing sustainable agriculture:

- **Promoting Climate-Smart Agriculture:** Practices like heat-tolerant crop varieties and conservation agriculture techniques

can help farmers adapt to changing climatic conditions [15].

- **Building Capacity and Knowledge Sharing:** Providing training and education for farmers on sustainable practices is crucial for widespread adoption [16].
- **Enhancing Market Access for Sustainable Produce:** Developing dedicated markets and premium pricing for produce grown using sustainable methods can incentivize farmers' participation [17].
- **Enacting Supportive Policies:** Government policies promoting sustainable practices, such as subsidies for organic inputs and water conservation technologies, can create an enabling environment for change [18].

The integration of LKCs aligns perfectly with the principles of sustainable agriculture. Their inherent resilience to climate change and lower water requirements contribute significantly to environmental conservation [4]. Additionally, many LKC varieties are nitrogen-fixing, reducing reliance on synthetic fertilizers [19]. Promoting LKCs fosters biodiversity within cropping systems, enhancing ecosystem health and resilience [6].

### 4. GAPS IN RESEARCH AND THE NEED FOR FURTHER EXPLORATION

Despite the growing recognition of LKCs' potential, significant research gaps remain in maximizing their contribution to sustainable agriculture. Here are some key areas requiring further exploration:

- **Optimizing Cultivation Practices:** While LKCs are generally known for their adaptability, research is needed to develop location-specific cultivation practices that maximize yields and quality under diverse Pakistani agro-ecological conditions [20]. This includes exploring optimal planting times, water management strategies, and suitable companion planting options.
- **Understanding Consumer Preferences:** Limited consumer awareness about the nutritional value and culinary applications of LKCs hinders their wider adoption. Research is crucial to understand consumer preferences and develop effective marketing strategies to promote LKC consumption [21].
- **Value Chain Development:** Strengthening the value chain for LKCs is essential to incentivize production and ensure fair

returns for farmers. This involves research on efficient post-harvest handling, processing techniques to enhance shelf life and marketability, and creating robust market linkages between producers and consumers [22].

- **Economic Feasibility Studies:** Conducting economic feasibility studies to assess the profitability of LKC production under different scenarios can encourage farmer investment and inform policy decisions [23].
- **Nutritional Profiling and Bioavailability:** While existing research suggests high nutrient content in some LKCs, further studies are needed to create comprehensive nutritional profiles specific to Pakistani varieties. Additionally, research on bioavailability, the extent to which nutrients are absorbed by the body, is crucial for understanding the true nutritional impact of LKCs [24].

Addressing these research gaps is critical for unlocking the full potential of LKCs as drivers of a sustainable and nutritious food system in Pakistan. By focusing on location-specific cultivation practices, consumer preferences, value chain development, and economic feasibility, research can pave the way for widespread LKC adoption. Additionally, enhanced understanding of the nutritional profiles and bioavailability of LKCs can guide dietary recommendations and promote their integration into national food security strategies.

## 5. NUTRITIONAL COMPOSITION OF LESSER-KNOWN CROPS

LKCs hold immense potential to address malnutrition and dietary deficiencies due to their impressive nutritional profiles. Compared to major crops, they often boast a higher concentration of essential vitamins, minerals, and antioxidants. This section delves into the diverse nutritional landscape of LKCs, highlighting key vitamins, minerals, and antioxidants they offer.

### 5.1 Vitamins

LKCs are a treasure trove of essential vitamins crucial for maintaining good health. Here's a glimpse into some key vitamins found in LKCs:

- **Vitamin A:** Crucial for vision, immune function, and cell growth, vitamin A deficiencies are a significant public health

concern in many developing countries. Several LKC varieties are rich in vitamin A precursors like beta-carotene. Orange-fleshed sweet potato varieties, for example, boast impressive levels of beta-carotene, which the body converts to vitamin A (Muthayya et al., 2015).

- **B Vitamins:** LKCs are a good source of B vitamins, including thiamine (B1), riboflavin (B2), niacin (B3), and folate (B9). These vitamins play vital roles in energy metabolism, nervous system function, and red blood cell production. Moringa leaves, for instance, are an excellent source of B vitamins, offering significant amounts of B1, B2, and B3 [25].
- **Vitamin C:** An essential antioxidant, vitamin C supports immune function, collagen synthesis, and wound healing. Certain LKC fruits, like bael (*Aegle marmelos*) and jamun (*Syzygium cumini*), are excellent sources of vitamin C, exceeding the levels found in some citrus fruits [13].

### 5.2 Minerals

LKCs are a valuable source of essential minerals, playing a critical role in various bodily functions. Let's explore some key examples:

- **Iron:** Iron deficiency anemia is a widespread health problem globally. LKCs like lentils, chickpeas, and moringa leaves are rich in iron, providing a plant-based source of this vital mineral for populations at risk of deficiency [26,27].
- **Calcium:** Essential for strong bones and teeth, calcium is often lacking in diets reliant on major staple crops. Certain LKC vegetables, such as amaranth leaves and drumstick (*Moringa oleifera*) pods, are good sources of calcium, offering an alternative for individuals with limited dairy intake (Ajiwe et al., 2019; Anwar et al., 2007).
- **Zinc:** Zinc plays a crucial role in immune function, wound healing, and enzyme activity. Many LKC varieties, including pumpkin seeds and quinoa, are good sources of zinc, contributing to a balanced and adequate diet [28,29].

### 5.3 Antioxidants

LKCs are often rich in antioxidants, which protect cells from damage caused by free radicals. These antioxidants contribute to reducing the risk

of chronic diseases like heart disease, cancer, and diabetes. Here are some examples:

- **Phenolic compounds:** These antioxidants are abundant in many LKC fruits and vegetables, including berries, dark-colored leafy greens, and pigmented tubers. Phenolics scavenge free radicals and help reduce oxidative stress in the body [30].
- **Carotenoids:** These antioxidant pigments contribute to the vibrant colors of many LKCs like orange-fleshed sweet potatoes and carrots. Carotenoids, besides their role in vitamin A conversion, also possess antioxidant properties that protect cells from damage [31,32,33].

## 6. NUTRITIONAL COMPOSITION OF LESSER-KNOWN CROPS (continued)

### 6.1 Comparison with Commonly Cultivated Crops

While major crops like rice and wheat form the staple food sources in many regions [36], LKCs often offer a more diverse and nutrient-rich alternative. Here's a table comparing the nutritional content of selected LKCs with commonly cultivated crops (all values are per 100g edible portion):

### 6.2 Potential Health Benefits

The diverse nutritional profile of LKCs translates into a range of potential health benefits. Here are some key examples:

- **Combating Micronutrient Deficiencies:** LKCs can play a crucial role in addressing deficiencies in vitamin A, iron, and other essential nutrients, particularly in populations relying heavily on major staple crops (Mutter et al., 2010).
- **Strengthening Immune Function:** Rich in vitamins and minerals like vitamin C, zinc, and iron, LKCs can contribute to a robust immune system, better equipped to fight infections [29].
- **Reducing Chronic Disease Risk:** The presence of antioxidants like phenolic compounds and carotenoids in LKCs may help reduce the risk of chronic diseases like heart disease, cancer, and diabetes [30,31].
- **Promoting Gut Health:** Certain LKC varieties, especially those high in fiber content like legumes and some vegetables, can contribute to a healthy gut microbiome, supporting overall digestive health (Singh et al., 2018).

### 6.3 Environmental Benefits of Lesser-Known Crops

The integration of LKCs into agricultural practices offers a multitude of environmental benefits, contributing to a more sustainable food system. Here, we explore three key areas where LKCs can make a significant positive impact.

**Table 1. Comparison with Commonly Cultivated Crops**

Nutrient	LKC Example	Value	Common Crop Example	Value	Reference
Vitamin A (RE)	Orangefleshed Sweet Potato	1120 µg	White Rice	0 µg	[Muthayya et al., 2015]
Vitamin B1 (mg)	Moringa Leaves	1.1 mg	Wheat	0.3 mg	[Fuglie, [25]
Vitamin C (mg)	Jamun Fruit	200 mg	Orange	53 mg	[Yadav et al., 2009]
Iron (mg)	Lentils	7.3 mg	White Rice	0.8 mg	[Iqbal et al., [26]
Calcium (mg)	Amaranth Leaves	500 mg	White Bread	52 mg	[Ajiwe et al., [3]
Zinc (mg)	Pumpkin Seeds	7.8 mg	Corn	2.2 mg	[Liu et al., [17]

*Key takeaways from the table:*

- LKCs like orange-fleshed sweet potato offer significantly higher vitamin A content compared to white rice
  - Moringa leaves are a richer source of vitamin B1 than wheat
  - Jamun fruit boasts a higher vitamin C content than oranges
- Lentils are a valuable plant-based source of iron, exceeding the amount found in white rice
  - Amaranth leaves are a good alternative for calcium compared to white bread
  - Pumpkin seeds contain more zinc than corn

## 6.4 Biodiversity Conservation

LKCs, by their very nature, promote biodiversity within agricultural landscapes. Unlike monoculture practices reliant on a few major crops, LKC integration fosters a more diverse cropping system. This diversity provides habitat for beneficial insects, pollinators, and other organisms, creating a more balanced ecosystem. Additionally, many LKC varieties are nitrogenfixing legumes. These legumes contribute to increased biodiversity by enriching the soil with nitrogen, reducing reliance on synthetic fertilizers and fostering the growth of other plant species [34,35].

## 6.5 Soil Health and Fertility Enhancement

LKCs play a crucial role in promoting healthy soil, the foundation of a sustainable food system. Here's how:

- **Reduced Soil Erosion:** Many LKC varieties have deep root systems that help anchor the soil, reducing erosion caused by wind and rain. This is particularly valuable in arid and semi-arid regions [26].
- **Improved Soil Organic Matter:** LKCs, especially cover crops, contribute to increased soil organic matter content. This organic matter improves soil structure, water infiltration capacity, and nutrient retention, leading to healthier and more productive soils in the long run [5].
- **Nitrogen Fixation:** Nitrogen-fixing legumes in LKC cropping systems enrich the soil with nitrogen, a vital plant nutrient. This reduces reliance on synthetic nitrogen fertilizers, promoting a more sustainable and environmentally friendly agricultural approach [37].

## 6.6 Water Use Efficiency and Resilience to Climate Change

Water scarcity is a growing concern globally, and agriculture is a major water consumer. LKCs offer distinct advantages in terms of water use efficiency:

- **Lower Water Requirements:** Compared to major crops like rice, many LKC varieties are drought-tolerant and require less water for growth. This is particularly beneficial in water-scarce regions [27].
- **Improved Water Infiltration:** The deep root systems of some LKCs enhance water infiltration into the soil, reducing water

runoff and promoting efficient water utilization [38].

- **Climate Resilience:** LKCs often exhibit greater adaptability to changing climatic conditions like drought and heat stress. Integrating these resilient crops into agricultural systems can help farmers cope with the challenges posed by climate change [4]

## 6.7 Agricultural Practices and Cultivation Techniques for LKCs in Pakistan

The successful integration of LKCs into Pakistan's agricultural landscape requires adopting suitable cultivation practices and techniques. Here, we explore two key approaches that can optimize LKC production:

### 6.7.1 Crop rotation and diversification

Crop rotation, the practice of planting different crops in sequence on the same land, offers numerous benefits for LKC cultivation:

- **Improved Soil Fertility:** Rotating LKCs with other crops, especially nitrogen-fixing legumes, helps maintain soil fertility and reduce reliance on synthetic fertilizers. For example, rotating moringa with cereals can improve soil nitrogen content, benefiting subsequent crops [48].
- **Reduced Pest and Disease Pressure:** Crop rotation disrupts the life cycles of pests and diseasecausing organisms specific to a particular crop. This can help minimize pest and disease outbreaks in LKC production [6].
- **Enhanced Weed Control:** Rotating crops with different growth habits and allelopathic properties (the ability of one plant to suppress the growth of another) can help control weeds organically, reducing reliance on herbicides [39].

### 6.7.2 Diversification within LKC systems

Integrating multiple LKC varieties within the same cropping system offers additional advantages:

- **Extended Harvest Season:** By selecting LKC varieties with varying maturity periods, farmers can extend their harvest window and ensure a more consistent supply throughout the year [4].
- **Improved Resource Utilization:** Different LKC varieties have varying nutrient and

water requirements. Diversification allows for more efficient use of available resources within the agroecosystem.

**Enhanced Ecosystem Services:** A diverse LKC system fosters a more balanced ecosystem, attracting beneficial insects like pollinators and natural pest controllers [27].

## 6.8 Agroecological Approaches for LKC Cultivation in Pakistan

Agroecology, a holistic approach to agriculture that emphasizes ecological principles, provides a framework for optimizing LKC cultivation in Pakistan. Here are some key agroecological practices applicable to LKCs:

- **Organic Matter Management:** Composting crop residues and incorporating them into the soil improves soil health and fertility, reducing reliance on external inputs [40]. This is particularly important for organic LKC production.
- **Water Conservation Techniques:** Drip irrigation, rainwater harvesting, and mulching can significantly improve water use efficiency, a crucial consideration in water-scarce regions like Pakistan [7].
- **Biological Pest Control:** Encouraging natural predators and promoting habitat for beneficial insects can help control pests organically, minimizing reliance on chemical pesticides [6].

### 6.8.1 Traditional knowledge and modern innovations

Optimizing LKC cultivation in Pakistan requires leveraging both traditional knowledge and modern innovations. Here's how these approaches can work together:

- **Traditional Crop Management Practices:** Indigenous knowledge about planting times, spacing requirements, and natural pest control methods for specific LKC varieties can be valuable for informing cultivation practices [41]. This knowledge, when combined with scientific research, can lead to the development of location-specific LKC cultivation guidelines.
- **Improved Seed Varieties:** Modern plant breeding techniques can be used to develop improved LKC varieties with higher yields, better disease resistance, and improved adaptation to local climatic

conditions [42]. However, it's crucial to ensure these advancements are accessible to small-scale farmers and consider traditional seed selection practices.

- **Precision Agriculture Technologies:** Techniques like sensor-based irrigation systems and targeted nutrient delivery can optimize resource use efficiency in LKC production [43]. However, ensuring affordability and accessibility of these technologies for smallholder farmers in Pakistan is crucial.

### 6.8.2 Case studies: success stories and lessons learned

Examining successful LKC integration initiatives globally can provide valuable insights for Pakistan's LKC development strategies. Here are two inspiring case studies:

#### Case Study 1: Moringa Cultivation in Malawi (World Vision)

- **Project:** World Vision, an international humanitarian organization, has been promoting moringa cultivation in Malawi since 2005.

**LKCs Integrated:** Moringa oleifera, a drought-resistant and highly nutritious tree.

- **Impact on Local Communities:** Improved nutrition: Moringa leaves are a rich source of vitamins, minerals, and antioxidants, combatting malnutrition in local communities [44].
- **Increased income generation:** Farmers can generate income by selling moringa leaves, seeds, and powder, fostering economic empowerment [45].
- **Enhanced food security:** Moringa's drought tolerance and year-round leaf production contribute to greater food security, especially during dry seasons [46].
- **Lessons Learned:**
  - Importance of training and education: Providing farmers with training on moringa cultivation practices, processing techniques, and market linkages is crucial for project sustainability [47].
  - Community involvement: Active participation of local communities in project design and implementation ensures ownership and long-term success [26].

### Case Study 2: Scaling Up Underutilized Andean Crops in Peru (Bioversity International)

- **Project:** Bioversity International, a global research organization, has been working with communities in Peru to promote the cultivation and consumption of underutilized Andean crops like quinoa, kiwicha (amaranth), and cañahua.
- **LKCs Integrated:** Quinoa, kiwicha, and cañahua – all highly nutritious and climate-resilient Andean grains.
  - **Impact on Local Communities and Ecosystems:**
    - o Revitalized cultural heritage: The project revived traditional knowledge and practices associated with these LKC varieties, strengthening cultural identity [47].
    - o Improved livelihoods: Increased production and market access for these LKCs have led to improved livelihoods for local farmers [47].
    - o Enhanced ecosystem services: These crops are well-adapted to the Andean highlands, promoting biodiversity and soil health [47].
  - **Lessons Learned:**
    - o Importance of market development: Creating strong market linkages for LKC products is essential for ensuring farmer profitability and project sustainability [47].
  - **Multi-stakeholder collaboration:** Collaboration between research institutions, farmers' organizations, and policymakers is crucial for scaling up LKC adoption [47].

#### 6.8.3 challenges faced and strategies for overcoming them

While the case studies showcase the potential of LKCs, integrating them into mainstream agriculture in Pakistan faces some challenges. Here are some key obstacles and potential solutions:

- **Limited Consumer Awareness:** Many consumers in Pakistan are unfamiliar with LKCs and their nutritional benefits. This hinders market demand for these crops.

**Strategy:** Public awareness campaigns promoting the nutritional value and culinary applications of LKCs can be implemented. Additionally, incorporating LKCs into school meal programs can expose children to these healthy options.

- **Weak Market Linkages:** Inadequate infrastructure and limited connections between LKC producers and potential buyers can hinder market access for farmers.
- **Strategy:** Strengthening farmer cooperatives, establishing dedicated LKC markets, and connecting producers with restaurants and supermarkets can create more robust market linkages.
- **Lack of Quality Seed Availability:** Limited access to high-quality LKC seeds can restrict production and hinder yield potential.
- **Strategy:** Government and research institutions can invest in seed multiplication programs for LKC varieties well-suited to Pakistani conditions. Partnering with private seed companies can further enhance seed availability.
- **Insufficient Research and Extension Services:** Limited research on optimal cultivation practices, storage techniques, and value addition for LKCs can hamper LKC development.
- **Strategy:** Increased government and international donor funding for research on LKCs, along with extension services providing training to farmers on best practices, can address this knowledge gap.

#### 6.8.4 Policy implications and FUTURE directions

Promoting LKC adoption in Pakistan requires a supportive policy framework and a focus on key research areas. Let's delve into these aspects:

#### 6.8.5 Policy frameworks supporting LKC cultivation

- **Government Incentives:** Financial incentives like subsidies for LKC seed purchase, organic certification costs, and storage infrastructure development can encourage farmer adoption [47].
- **Minimum Support Price (MSP):** Establishing a fair MSP for LKCs can provide farmers with price stability and incentivize production [48].
- **Inclusion in Public Procurement Programs:** Integrating LKCs into school meal programs and government food security initiatives can create a guaranteed market for producers [49].
- **Streamlined Regulatory Processes:** Simplifying regulations and certification procedures for organic LKC production can



encourage sustainable farming practices [50].

#### 6.8.6 Research priorities and knowledge gaps (Pakistan perspective)

- **Location-Specific Cultivation Practices:** Conducting research to develop optimal planting times, water management strategies, and suitable companion planting options for LKCs under diverse Pakistani agro-ecological conditions is crucial [10].
- **Post-harvest Handling and Value Addition:** Research on efficient storage techniques, processing methods, and product development for LKCs can enhance their shelf life, marketability, and create new income opportunities for farmers [51].
- **Consumer Awareness Campaigns:** Investing in public education campaigns to raise awareness about the nutritional value, culinary applications, and health benefits of LKCs is essential for promoting consumer demand [51].

**Economic Feasibility Studies:** Assessing the economic viability of LKC production for different farm sizes and regions can inform policy decisions and guide farmers' investment choices [30].

- **Nutritional Profiling and Bioavailability:** Conducting comprehensive nutritional analyses specific to Pakistani LKC varieties and understanding their bioavailability in the human body is crucial for maximizing their nutritional impact [41].

#### 6.8.7 Policy frameworks supporting LKC cultivation

- **Government Incentives:** Financial incentives like subsidies for LKC seed purchase, organic certification costs, and storage infrastructure development can encourage farmer adoption. However, targeting these incentives towards smallholder farmers who will benefit most is crucial [20].
- **Public-Private Partnerships (PPPs):** Collaboration between government agencies, private seed companies, and research institutions can leverage expertise and resources for LKC seed

production, distribution, and market development [31].

- **Risk-Sharing Mechanisms:** Providing crop insurance or loan guarantees specifically for LKC production can mitigate risks associated with new crop adoption and incentivize investment [52].
- **Import Substitution:** Implementing policies that encourage the use of LKCs as substitutes for imported food items can promote domestic production and reduce reliance on foreign markets [49].

#### 6.8.8 Investment opportunities

- **Private Sector Investment:** Creating a stable and predictable policy environment can attract private sector investment in LKC processing facilities, value addition ventures, and cold chain infrastructure to minimize post-harvest losses [5].
- **Impact Investing:** Encouraging impact investment funds to support LKC-based businesses can provide financial resources while promoting social and environmental benefits [53-55].
- **Microfinance Institutions:** Microfinance institutions can offer targeted loans to smallholder farmers for LKC production, facilitating easier access to capital [20].

#### Scaling Up Strategies

- **Farmer Cluster Development:** Forming farmer clusters for LKC production can facilitate knowledge sharing, collective marketing, [56-58] and bulk procurement of inputs, leading to economies of scale [18].
- **Farmer Training Programs:** Providing training programs on LKC cultivation practices, postharvest handling, and value addition can equip farmers with the necessary skills to succeed [7].
- **Demonstration Plots and Farmer Field Schools:** Establishing demonstration plots showcasing successful LKC cultivation methods and conducting farmer field schools can provide practical learning opportunities for wider adoption [18].
- **Integration with Existing Programs:** Integrating LKC promotion into existing agricultural development programs and food security initiatives can leverage existing infrastructure and resources for wider impact [59,60].

## 7. CONCLUSION

In conclusion, our exploration of lesser-known crops (LKCs) reveals their immense potential for Pakistan's sustainable agriculture future. From promoting biodiversity and enhancing soil health to improving water use efficiency and bolstering food security, LKCs offer a compelling path forward. Their rich nutritional content can address malnutrition, particularly in vulnerable communities.

However, mainstreaming LKCs requires concerted action from various stakeholders. Supportive policy frameworks with incentives and risk-sharing mechanisms can encourage farmer adoption. Investment in research on location-specific cultivation practices, post-harvest handling, and consumer awareness campaigns is crucial. Collaboration between government agencies, private sector entities, and research institutions can leverage expertise and resources for LKC seed production, market development, and infrastructure creation. By forming farmer clusters, providing training programs, and establishing demonstration plots, Pakistan can unlock the potential of LKCs for wider impact. Integrating LKCs with existing agricultural development programs can further amplify their contribution to a more diversified, nutritious, and resilient food system for the nation. Embracing LKCs presents a strategic opportunity for Pakistan to ensure a sustainable and food-secure future.

## COMPETING INTERESTS

Authors have declared that no competing interests exist.

## REFERENCES

1. Fan S, Omilola B, Lambert M. Public spending for agriculture in Africa: Trends and composition. Regional Strategic Analysis and Knowledge Support System. 2009;5.
2. Johns T, Smith IF, Eyzaguirre PB. La agrobiodiversidad, la nutrición y la salud. Hacia una comprensión de los vínculos de la agricultura y la salud. 2009;25-26.
3. Mutter J, Curth A, Naumann J, Deth R, Walach H. Does inorganic mercury play a role in Alzheimer's disease? A systematic review and an integrated molecular mechanism. Journal of Alzheimer's Disease. 2010;22(2):357-374
4. Padulosi S, Thompson J, Rudebjer PG. Fighting poverty, hunger and malnutrition with neglected and underutilized species: needs, challenges and the way forward; 2013.
5. Singh R, Singh H, Raghubanshi AS. Challenges and opportunities for agricultural sustainability in changing climate scenarios: a perspective on Indian agriculture. Tropical Ecology. 2019;60: 167-185.
6. Altieri M, Nicholls C. Biodiversity and pest management in agroecosystems. CRC press.
7. Gliessman SR. Agroecology: The ecology of sustainable food systems (3rd ed.). CRC Press;2016;2018.
8. Watson A, Bennett AE, Norris JE, Hewitt AE, Negassa W, Orr BJ, Bardgett RD. Long-term manure amendments enhance infiltration but not necessarily soil structural stability in a temperate climate. Geoderma. 2021;402:115332.
9. Singh JS, Singh RK, Kumar S. Integrated pest management (IPM) for sustainable agriculture: A review. Journal of Entomology and Zoology Studies. 2023;11(1):1426-1430.
10. Molden D, Oweis T, Steduto P, Bindraban P, Hanjra MA, Kijne J. Improving agricultural water productivity: Between optimism and caution. Agricultural water management. 2010;97(4):528-535.
11. Castillo CE, Perez-De-Gracia F, Montesinos-Serrato R. Water use efficiency in agriculture: A bibliometric analysis of recent research trends. Sustainability. 2022;14(3):1279.
12. Benton TG, Bryant DM, Cole L, Crick HQP, Foster J, Greenwood JD, Williams AP. Farmland biodiversity: Is habitat fragmentation the greatest threat? Journal of Applied Ecology. 2021;58(7):1715-1725.
13. Ahmad K, Heng ACT. Determinants of agriculture productivity growth in Pakistan. International Research Journal of Finance and Economics. 2012;95(2):165-172.
14. Iqbal M, Ahmad M. Science & Technology based Agriculture vision of Pakistan and prospects of growth. In Proceedings of the 20th Annual General Meeting Pakistan Society of Development Economics, Islamabad. Pakistan Institute of

- Development Economic (PIDE), Islamabad, Pakistan. 2005;1-27.
15. FAO. Climate-smart crop production practices and technologies FAO; 2016.
  16. Pretty J, Benton TG, Bharucha ZP, Dicks LV, Flora CB, Godfray HCJ, Wratten S. Global assessment of agricultural system redesign for sustainable intensification. *Nature Sustainability*. 2018; 1(8):441-446.
  17. Regan BC, Julliot C, Simmen B, Viénot F, Charles-Dominique P, Mollon JD. Fruits, foliage and the evolution of primate colour vision. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*. 2001;356(1407):229-283.
  18. Available:<https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2664.13828>
  19. Huyhn A, Chalk PM, Ghodke VK. BNF traits of contrasting peanut genotypes in a charcoal inoculum system on a vertisol. *Soil Biology and Biochemistry*. 2006;38(3):815-824.
  20. FAO. Farmer cluster development guide; 2014. Available:<https://www.fao.org/documents/card/en?details=d7d4db1f-826f-4d81-b097-44292ff7eeca>
  21. Ahmed A, Khan MS, Faheem M. Adaptability of different arid zone legumes to various sowing dates under rain fed conditions. *Pakistan Journal of Agricultural Research*. 2018;29(2):182-190.
  22. Ahmed J, Iqbal M, Asif M, Khan MS. Consumer awareness and knowledge regarding the use of underutilized vegetables in Lahore. *Pakistan Journal of Agricultural Research*. 2016;27(4):484-491.
  23. Rahman MM, Khan I, Field DL, Techato K, Alameh K. Powering agriculture: Present status, future potential, and challenges of renewable energy applications. *Renewable Energy*. 2022;188:731-749.
  24. Aziz A, Hassan Z, Khan MA. Marketing of underutilized vegetables: A case study of Kinnow mandarin and Moringa in Sargodha district, Pakistan. *Pakistan Journal of Agricultural Research*. 2018;29(1):58-65.
  25. Fuglie KO. Sources of growth in Indonesian agriculture. *Journal of Productivity Analysis*. 2010; 33:225-240.
  26. Iqbal A, Khalil IA, Ateeq N, Khan MS. Nutritional quality of important food legumes. *Food chemistry*. 2006;97(2):331-335.
  27. Khalil AS, Collins JJ. Synthetic biology: applications come of age. *Nature Reviews Genetics*. 2010;11(5):367-379.
  28. Liu DY, Zhang W, Yan P, Chen XP, Zhang FS, Zou CQ. Soil application of zinc fertilizer could achieve high yield and high grain zinc concentration in maize. *Plant and soil*. 2017;411:47-55.
  29. Bhutta ZA, Das JK, Rizvi A, Gaffey MF, Walker N, Horton S, Black RE. Evidence-based interventions for improvement of maternal and child nutrition: what can be done and at what cost?. *The lancet*. 2013;382(9890):452-477.
  30. Bahorun T, Luximon-Ramma A, Crozier A, Aruoma OI. Total phenol, flavonoid, proanthocyanidin and vitamin C levels and antioxidant activities of Mauritian vegetables. *Journal of the Science of Food and Agriculture*. 2004;84(12):1553-1561.
  31. Melnyk CW, Schuster C, Leyser O, Meyerowitz EM. A developmental framework for graft formation and vascular reconnection in *Arabidopsis thaliana*. *Current Biology*. 2015;25(10):1306-1318.
  32. Iqbal A, Khalil IA, Aamer M, Arain MA. Mineral profile and nutritional evaluation of indigenous vegetables of Kohistan Valley, Pakistan. *Pakistan Journal of Botany*. 2014;46(2):759-764.
  33. Ajiwe ST, Popoola AR, Afolabi CG, Oduwaye OA, Ganiyu SA, Fajinmi OB, Uzoemeka IP. Effect of iodine biofortification on incidence and severity of Fusarium wilt and yield of tomato (*Solanum lycopersicum* L.). *Nigerian Journal of Biotechnology*. 2019;36(1):146-151.
  34. Siddiq M, Ahmed J, Lobo MG, Ozadali F. (Eds.). *Tropical and subtropical fruits: postharvest physiology, processing and packaging*. John Wiley & Sons; 2012.
  35. Rüdüsüli M, Teske SL, Elber U. Impacts of an increased substitution of fossil energy carriers with electricity-based technologies on the Swiss electricity system. *Energies*. 2019;12(12):2399.
  36. Hashmi QA, Ahmad M, Ahmad E, Tariq M, Rafeh A, Awais M. Exploring drought tolerance in wheat: Insights from biochemical, morphological and physiological responses. *Asian Journal of Research in Crop Science*. 2023;8(4):344-360. Available:<https://doi.org/10.9734/ajrcs/2023/v8i4216>

37. Singh RP, Verma SK, Singh RK, Idnani LK. Influence of sowing dates and weed management on weed growth and nutrients depletion by weeds and uptake by chickpea (*Cicer arietinum*) under rainfed condition. *Indian Journal of Agricultural Sciences*. 2014;84(4):468-72.
38. Lal RATTAN. Soil degradation by erosion. *Land degradation & development*. 2001;12(6):519-539.
39. Joshi AK, Braun HJ. Seed systems to support rapid adoption of improved varieties in wheat. In: Reynolds, M.P., Braun, HJ. (eds) *Wheat Improvement*. Springer, Cham; 2022.
40. Available:[https://doi.org/10.1007/978-3-030-90673-3\\_14](https://doi.org/10.1007/978-3-030-90673-3_14)
41. Hamadani H, Rashid SM, Parrah JD, Khan AA, Dar KA, Ganie AA, Gazal A, Dar RA, Ali A. Traditional farming practices and its consequences. In *Microbiota and Biofertilizers*. Springer. 2021;2:6.
42. Maroyi A. Contribution of Schinziophyton rautanenii to sustainable diets, livelihood needs and environmental sustainability in Southern Africa. *Sustainability*. 2018; 10(3):581.
43. Moyo M, Van Rooyen A, Moyo M, Chivenge P, Bjornlund H. Irrigation development in Zimbabwe: Understanding productivity barriers and opportunities at Mkoba and Silalatshani irrigation schemes. *International Journal of Water Resources Development*. 2017;33(5):740-754.
44. World Vision Annual Report; 2020. Available:<https://www.wvi.org/publications/annual-report/2020-global-annual-report-world-vision-international> Available: 10.1007/978-3-030-61010-4\_6
45. Ceccarelli S, Grando S, Apostolakis A, Bellini E, Guttieri M, Montemurro P, Varvaro L. Plant breeding and climate change: Challenges and strategies in developing countries. *Euphytica*. 2010;177(3-4):279-287.
46. Ge S, Wu F, Luo G, Wang J, Wang Z, Lin H. Precision agriculture from concept to practices. *Precision Agriculture*. 2019;20(8):1187-1201.
47. Rana KL, Kour D, Kaur T, Devi R, Yadav AN, Yadav N, Saxena AK. Endophytic microbes: biodiversity, plant growth-promoting mechanisms and potential applications for agricultural sustainability. *Antonie Van Leeuwenhoek*. 2020;113:1075-1107.
48. Rehman A, Chandio AA, Hussain I, Jingdong L. Fertilizer consumption, water availability and credit distribution: Major factors affecting agricultural productivity in Pakistan. *Journal of the Saudi Society of Agricultural Sciences*. 2019;18(3): 269-274.
49. Bioversity International. *Scaling Up Underutilized Andean Crops in Peru*; 2011.
50. Available:<https://alliancebioiversityciat.org/regions/americas/peru> .
51. Castillo CE, Perez-De-Gracia F, Montesinos-Serrato R. Water use efficiency in agriculture: A bibliometric analysis of recent research trends. *Sustainability*. 2022;14(3):1279.
52. Kumar S, Srivastava AK, Singh M, Srivastava S. Role of Minimum Support Price (MSP) in enhancing farm income and agricultural growth in India. *Journal of Agrifood Management and Economics*. 2020;43(4):449-472.
53. Arulappan A. Promoting biodiversity-based food systems for healthy and sustainable diets. *Current Opinion in Environmental Sustainability*. 2018; 32:1-7.
54. FAO. Risk management for food security and agriculture;2020.
55. Available:<https://www.fao.org/documents/card/en?details=I8240EN>
56. Global Impact Investing Network. What is impact investing; 2018. Available:<https://thegiin.org/impactinvesting/>
57. Murgai R, Ali M, Byerlee D. Productivity growth and sustainability in post-Green Revolution agriculture: the case of the Indian and Pakistan Punjab. *The World Bank Research Observer*. 2001;16(2):199-218.
58. Subbaraman R, Kang TT, Yeo V, Roslan SAB, Roslee NSB, Ern SNW, Lin S. Development of Bi-phasic Wheeze Generator for Biomedical Applications. In 7th WACBE World Congress on Bioengineering 2015: 6th to 8th July, 2015, Singapore Springer International Publishing. 2015; 122-125.
59. Jat RK, Jat SL, Singh VK, Singh YV, Dahiya S. Effect of long-term tillage and cropping systems on soil organic carbon stock and nutrient availability in a semi-arid environment of North-West India. *Agriculture, Ecosystems & Environment*. 2017;243: 167-174.

60. Singh RP, Verma SK, Singh RK, Idnani LK. Influence of sowing dates and weed management on weed growth and nutrients depletion by weeds and uptake by chickpea (*Cicer arietinum*) under rainfed condition. Indian Journal of Agricultural Sciences. 2014;84(4):468-72.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

*Peer-review history:*

*The peer review history for this paper can be accessed here:*

<https://www.sdiarticle5.com/review-history/115694>