



Automating the Assembly Process of Passenger Car Gearboxes

Vladimir Filatov ^{a*}

^a Engineering Department, BLM Synergie, Elektrozavodskaya Street, 24, Moscow, Russia.

Author's contribution

The sole author designed, analysed, interpreted and prepared the manuscript.

Article Information

DOI: 10.9734/AJRCOS/2022/v14i4299

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/94121>

Original Research Article

Received 20 September 2022

Accepted 28 November 2022

Published 01 December 2022

ABSTRACT

Aims: The study aims to identify ways and potential solutions to automate the assembly and production process for passenger car gearboxes.

Object of Research: Assembly and production process for car gearboxes.

Subject of Research: Modern and evolutionary automation tools that have the potential to be implemented in the assembly processes of automotive transmission controls.

Methodology: To achieve this goal, as part of this study, it is planned to apply methods of bibliometric analysis of leading scientometric databases to obtain correlation relationships and analytical conclusions regarding the vector of development of automation means of passenger car gearbox assembly process.

Results: As a result of the research by means of scientometric analysis and correlation the vector of probabilistic technical solutions of integration and development of automation means of the sequence of production operations during the assembly of the transmission, as well as adaptive framework-design solutions for the implementation of tools of the fourth iteration of industrial-industrial progress in the production processes of assembly of the studied technical control means and logical-technological connection of the elements of the transmission system, which affect the overall process of automotive manufacturization.

Conclusion: The passenger car gearbox is a multi-component, complex system whose assembly is a complex multi-operational process, and given the high responsibility of this machine element, there is an urgent need to introduce modern automation tools into the assembly and production processes, which will significantly optimize global automatofactoring. The practical results of the present study consist in the formation of a focus scientometric database of profile data, identification

*Corresponding author: E-mail: vvfilatoveng@gmail.com;

of a potential vector of development of means and systems of automation of assembly-production operations, identification and formation of solutions for the implementation of modern means of automated production in the actual global automotive manufacturing, which allows to get the optimum ratio of production costs/quality of products by improving the manufacturability, productivity and flexibility of processes of assembly of multi-element and multi-component automotive systems and structures.

Keywords: Auto production; auto manufacturing; autoline; robotics; machine vision; machine learning.

1. INTRODUCTION

The relevance of this study lies at the intersection of the vectors of economic development and technological progress caused by the fourth wave of the industrial-industrial revolution: the leading auto-industrial manufacturers are in a constant search for the optimal balance between the quality, reliability, and manufacturability of mobile means of transportation produced, and the costs of the production process (from design and production to testing and sales).

Nowadays, it is impossible to imagine modern civilization without such a commonplace thing as an automobile means of transportation (both group and personal, including At the same time, profile organizations like MarkLines [1], ACEA [2,3], Trading Economics [4], OICA [5], Statista [6], U.S. Department of Transportation [7], SMMT [8] (etc.), in the twenty-year horizon, statistical analysis indicates a 42, 9% growth in global production of automotive equipment (2001 - 56, 0 million units / 2021 - 80 million units) / 2021 - 80 million units), however, the global automotive industry is currently in recession after a production peak in 2017-2018 (up to 97 million units annually), indicating the transformation of the studied industry caused by the integration of modern factors into the automotive production process: tightening requirements for the cost/quality balance (S. E. Gayiya [9]), tightening of environmental requirements and standards (M. Hirz [10]), tightening of requirements to increase the qualification background of the involved specialists and exclusion of "human" defect factors of car production (J. Reimer [11]), reprofiling of production focus on production with modern technological equipment (E. Shafiei [12]), toughening of safety qualities of produced automotive products, which requires integration into the production process of additional testing activities and inspections (S. König [13]), as well as other aspects caused by the global changes in the general concept of world manufacturing (H.

A. Khan [14]) as an adequate response to the technological progress caused by the fourth wave of industrialization (L. Athanasopoulou [15], T. Papadopoulos [16], T. C. Ng [17] (et al.)).

The main strategy of modern autoproduction is to obtain an optimal cost/quality balance by implementing modern tools of the fourth iteration of industrial and technological progress, at that one of the fundamental industrial tools is automation (J. Soldatos [18], H. Parmar [19], M. Ammar [20] (etc.)). The introduction of automation in the production of motor vehicles is a promising direction for obtaining a cost/quality balance, so according to the research Z. Papulová [21] established the growth of the implementation of automation of Industry 4.0 in the production and technological processes of the leading car manufacturing companies, according to the research C. Guo [22] noted the high potential of the integration of robotics as the main process of automated automotive production, the research M. Hofmann [23] showed that the automotive manufacturing processes are currently transforming by integrating modern automation tools, which leads to a complete change in the paradigm of automotive production, etc. [24-26]. One of the responsible technological multi-component elements is the vehicle gearbox (which exceptional importance is confirmed by the relevant research reflected in the publications of Y. X. Li [27], J. A. Dhanraj [28], X. Liu [29], E. Abboud [30]), for the production of which, as well as for all machine production, the development, and implementation of adaptive solutions that allow to achieve an optimal cost/quality ratio, including through the integration of the developing tools of Industry 4.0 automation. As part of this study, it is planned to use scientometric tools to determine the vector of development of gearbox assembly process automation tools and identify potential solutions that will improve the manufacturability, productivity, flexibility of automated production lines with the appropriate provision of an optimal cost/quality ratio.

2. MATERIALS AND METHODS

In this study methods of scientometric search and analysis are used. This includes identifying and predicting the most likely, optimal, and potential direction of development in addressing the integration of Industry 4.0 automation tools in automotive industry processes, in particular in the sequence of assembly-production operations of passenger car gearboxes. In order to achieve the goal, it is proposed to use the following plan (sequence of stages) of research shown in Table 1.

The presented sequence of research operations is aimed at forming a database focusing on research object and subject with the identification of vectors and horizons of technological solutions development in increasing the level of

automation of automotive production through the integration into the technological production operations of the modern tools of the fourth iteration of industrial-industrial progress. It potentially determines the overall paradigm of production processes not only the automotive industry (in particular with respect to the production of the automotive industry), but the entire field of automated and robotic global manufacturing. Collection, analysis, systematization of disparate data presented in the leading scientometric databases will allow to form an appropriate factorial background, based on which it is already possible to obtain analytical-correlative conclusions regarding the goals and objectives of the study with the potential possibility to determine probabilistic vectors of development of diffusion interaction between the automotive industry and the branch

Table 1. Research plan

Number of stage	Name of the stage	Research operations
1	Research object analysis	analysis of functional and technological purpose, median-generalized technological and design solutions on the device and the principles of direct operation, the nature of modern assembly and manufacturing process
2	Research subject analysis	assessment of the level of technological development of automation tools that have the potential to be implemented in the sequence of assembly gearbox technology
3	Bibliometric analysis	analysis of leading scientometric databases regarding the problems of development and implementation of automation systems and tools in automobile manufacturing and gearbox production
4	Correlative analysis using taxonomic tools	identification of vectors and horizons of potential technological solutions in the implementation of systems and means of automated assembly production of motor vehicles and the studied means of controlling the automobile transmission functioning
5	Analytical conclusions	drawing conclusions about the extracted information and scientometric correlative data horizon followed by the formation of framework-design solutions for the integration of potential automation technologies in the assembly process of passenger car gearboxes
6	Generalized conclusions and results	Formation of generalized conclusions and results with the identification of further expedient ways in the development of the specified research vector

of automation, auto-mechanization, and robotization systems. The methodology includes elements of scientometric analysis. It will reveal the level of scientific coverage of the problems systems integration and means of automation of technological processes of automotive production, as well as determine the subsequent evolutionary milestones of a given research vector, which has practical results and interest for all manufacturing industries in the process of transformation with the transition to automated manufacturing technological operations.

3. RESULTS

Transmission is a responsible technological element of propulsion systems of the car, carrying out the logical-structural connection between the engine and transmission system. It allows to expand the functionality of the motor unit car by multidirectional reduction of power coming from the engine to the transmission system, gear ratio control, increasing the operating range of speed and torque, providing idling and reversing the motion of the vehicle (Fig. 1) [31-35].

In accordance with the data presented in Fig. 1, it is possible to establish that the unitary-medium performance of the gearbox of a motor vehicle is

performed in the form of a separate box (crankcase), in which the gears and shafts of the mechanical gears are in working engagement, the principle of reduction of engine power which is shown in Fig. 2.

According to the research of Y. Chen [31], currently the global automotive industry produces three technological and structural versions of manual transmission (MT), automatic transmission (AT) and neighborhood electric vehicle (NEV). (Fig. 3), and currently prevailing are gearboxes series AT6/7/8, and by 2030 planned to increase production of AT9/10 series (Fig. 4), which is due to increasing demands on economic (the introduction of optimal energy-balanced modes of “engine + transmission” system functioning) and environmental (implementation of solutions and activities aimed at decarbonization of the system “engine + transmission” functioning) requirements. Thus, it is established that the gearbox is a multi-component responsible transmission unit, which potentially leads to emergency failure of vehicle subsystems (with the corresponding destructive consequences). As a result, there is an urgent need to find, develop and create effective solutions to improve the quality of the production process, in particular by automating the assembly and production operations (Fig. 5).




Fig. 1. Conceptual representation of the structural arrangement of the control gear in the transmission system of a car




Fig. 2. Visualization of the engine power reduction process by establishing the characteristic working gears on the example of a 5-speed gearbox of a passenger car transport vehicle [31-35]




Fig. 3. The main directions of techno-constructional implementation of the gearbox of passenger cars highlighted in the study of Y. Chen [31]




Fig. 4. Production structure of the main product range of gearbox in the global automobile manufacturing according to the assessment of Y. Chen [31]




Fig. 5. The goals and requirements for the techno-constructive gearbox performance highlighted by Y. Chen [31]

Global auto-factoring and auto-production in the production of light motor vehicles since 1903 came to the use of a flow method of production on assembly lines [36-42]. The formation of typical operating cycles in the mass automobile production process led the leading automobile concerns to the use of production and assembly lines, which initially functioned with the participation of workers. In the process of industrialization and development of the technological effectiveness of the indicated automotive lines, which was an adequate response to the increase in technical complexity and quality of produced automotive vehicles, conditions for the implementation of automation and robotization means and systems in the assembly and production process were formed [36-42] (Fig. 6):

- condition of typing of techno-industrial operation: when applying techno-industrial processes typical operations that require

repetition, it is advisable to use robotization/automation means, which allows significantly reduce the impact of the attention reduction factor when performing the specified functions by employees in working order, which directly affects the quality of the ongoing technological process and safety of workers, whose ability to monotonous work is lower than that of robotic-mechanized systems and tools, resulting (for the two reasons described) and leads to the impact on the economic performance of automotive production;

- condition of increased accuracy of technological and industrial operations: robotic complexes, systems, and tools have a clear coordinate positioning system, therefore (in the case of the correct task of the production algorithm by creating an appropriate service software-operational sequence) significantly

reduces the possibility of errors and errors in the execution of the industrial process, which also affects the economic efficiency of the latter;

- condition of increased productivity: if it is necessary to organize a typical industrial process, the basis of which are typical monotonous operations with high intensity of performance, it is advisable to use robotic means, which at lower probability of errors and uncertainties, capable of effectively performing the specified techno-industrial operations with high intensity for a long time;
- safety condition of implementation of technological and industrial process: in case of necessity to perform technological and industrial operations in the environment hazardous for the working personnel, it is reasonable to apply the advantages of robotic systems and complexes that do not require strict compliance with industrial hygiene and normative conditions of organization of working process, and also can be specially

designed for the relevant conditions hazardous for the workers. In this case, the goal is achieved not only in the continuation of production processes in adverse conditions but also in compliance with industrial safety by preserving the personnel involved in the production processes.

For the studied element of the automobile transmission the gearbox currently uses methods of semi-automatic machine-human assembly [31-35,49,50] (Fig. 7).

The lack of widespread use of automation and robotization in the process of assembly production of passenger car gearboxes is caused primarily by a significant number of components of the studied transmission unit, which is illustrated by the example of a 5-speed gearbox model of a passenger car transport vehicle [51-56] (Fig. 8, Table 2).

The specification of the component composition of the transmission is presented in Table 2.




Fig. 6. Conceptual scheme of auto-production line functioning with the allocation of logical-technological flows of assembly-production processes [43-48]



Fig. 7. Visualization of the modern sequence of assembly-technological operations for the control of a passenger car, presented on the electronic resource [50]




Fig. 8. Nomenclature and specification analysis of the component composition of the 5-speed transmission of passenger cars [51-56]

Table 2. Specification of component composition of a 5-speed gearbox of a passenger car transport vehicle [51-56]

Item no.	Part number	QTY.
1	Transmission housing 1	1
2	Transmission housing 2	1
3	Transmission housing 3	1
4	3-4 shift collar fork	1
5	1-2 shift collar fork	1
6	1-2 shift fork	1
7	5-R shift fork	1
8	3-4 shift fork2	1
9	Gear 5 Counter shaft	1
10	Gear 5 Top	1
11	Shift collar gear - 5th	1
12	5th gear Shift collar	1

Item no.	Part number	QTY.
13	Reverse Gear	1
14	Reverse idler	1
15	Transmission housing 2 bearing retainer	1
16	Front bearing retainer	1
17	Bell housing	1
18	Output shaft	1
19	Shift linkage	1
20	Shifter base	1
21	Shifter base 1	1
22	Shifter base 2	1
23	Shifter ball top	1
24	Shifter ball bottom	1
25	Transmission housing 3 - Shell - cover	1
26	input shaft	1
27	Transmission housing 1 Cover	1
28	623zz bearing	18
29	3mm washer	20
30	1-2 and 3-4 shift rail	2
31	Counter Shaft	1
32	Input Shaft-	1
33	Reverse idler - 5th gear shift rail	2
34	Shifter	1
35	Top Shaft	1
36	Shift Linkage 2	1
37	Shift Linkage 3	1
38	Gear 1 Counter shaft	1
39	Gear 2 Counter shaft	1
40	Gear 3 Counter shaft	1
41	Gear 4 Counter shaft	1
42	Gear 1 Top	1
43	Shift collar	2
44	Shift collar gear	2
45	Gear 2 Top	1
46	Gear 3 Top	1
47	Gear 4 Top	1




Fig. 9. Illustration of the enlarged assemblies of the control unit of a passenger car transport vehicle [51-56]




Fig. 11. Bibliometric analysis of the correlation of taxonomic units of gearbox autolinear assembly technology and methods brought by the fourth wave of industrial progress by leading scientometric databases in a five-year (2017/2022) search horizon using the VOSviewer toolkit [57] - 2 iteration




Fig. 12. Bibliometric analysis of the correlation of taxonomic units of gearbox autolinear assembly technology and methods brought by the fourth wave of industrial progress by leading scientometric databases in a five-year (2017/2022) search horizon using the VOSviewer toolkit [57] - 3 iteration




Fig. 13. A bibliometric analysis of the correlation of taxonomic units of gearbox autolinear assembly technology and methods brought by the fourth wave of industrial progress by leading scientometric databases in a five-year (2017/2022) search horizon using the VOSviewer toolkit [57] - 4 iteration




Fig. 14. A bibliometric analysis of the correlation of taxonomic units of gearbox autolinear assembly technology and methods brought by the fourth wave of industrial progress by leading scientometric databases in a five-year (2017/2022) search horizon using the VOSviewer toolkit [57] - 5 iteration

On the basis of the bibliometric analysis of leading scientometric databases regarding the adopted research direction it was established:

- vector of scientific search concerning the implementation of full-cycle and full-featured automation of the assembly and technological process on the passenger car control unit (iteration 1, Fig. 10) is aimed at using robotic means, in particular, robotic complexes equipped with manipulators, while, as indicated earlier, there is a problem of complexity of organization and implementation of the positioning of robotic means of automatic assembly, due to the complexity and multi-componentness of the studied transmission;
- a co-correlated taxonomic analysis regarding the integration of Industry 4.0 tools in automotive passenger car manufacturing (iterations 2-5, Figs. 11-14) indicate possible ways of solving the problem identified in iteration 1 regarding the implementation of full-cycle and full-function automation of the assembly and manufacturing process for passenger car gearbox device, among which the potential ones are, implementation and development of such tools of the fourth wave of industrial progress as machine vision, machine learning, artificial intelligence.

Based on the conducted scientific search, the scientific problem regarding the implementation of full-cycle and full-featured automation of the assembly and technological process on the control device of a passenger car, which is based on the limitations of the existing robotic manipulators of the assembly lines of automotive products, was identified. Also, subsequent iterations of the scientometric search and analysis, allowed to identify potential solutions to the identified scientific problem through the integration into the assembly-production processes of automation means of the fourth wave of industrial progress.

4. DISCUSSION

As a result of the research on a given research vector, the expected results in terms of the implementation of full-cycle and full-featured automation of the assembly and technological

process of the passenger car control unit have been established:

- formed a scientific problem in the search for the possibility of automating the assembly and production operations on the control device of a passenger vehicle by robotic means (iteration 1, Fig. 10), which correlates with the results of scientific research of the authors M. Bilal [58], J. A. P. Pereira [59], J. Jiang [60] and others;
- a co-correlated taxonomic analysis regarding the integration of Industry 4.0 tools into the autolinear manufacturing of passenger cars (iterations 2-5, Figs. 11-14) established potential ways of solving the identified technical and research problems - implementation, adaptation to the conditions of autolinear production and development of systems and tools of the fourth wave of industrial and technological development: machine vision (which correlates with the results of scientific research of authors M. Javaid [61], A. Charan [62], P. Kumar [63], etc.), machine learning (which correlates with the results of research by authors B. Nemeč [64], N. S. Solke [65], P. Dobra [66], etc.) and artificial intelligence (which correlates with the results of research by the authors A. Manimuthu [67], S. S. Kamran [68], R. Bogue [69] and others).

Thus, by means of scientometric search and analysis, the problems and solutions in the organization and implementation of full-cycle and full-function automation of the sequence of assembly and production operations for the passenger car gearbox assembly are established, the focus of which is to develop solutions for potential integration of robotic automation tools equipped with systems and tools that are Industry 4.0 products into the studied industrial processes for the assembly of the transmission unit.

A search of open sources confirmed the scientific findings of this study, which were implemented by IBG [70] as an industrial prototype of a full-cycle and full-function automation process for passenger car transmission assembly. According to the limited description of IBG [70] (due to trade secrets), the developed automated system for the implementation of the assembly-production process for the passenger car gearbox device has the following aspects of operation (Fig. 15):



Fig. 15. Prototype of a robotized full-cycle and full-function automated passenger car transmission assembly system developed by IBG [70]

- solution: A total of six cameras capture the position of the drive disc and transmission shaft for precise positioning of the transmission according to two- and three-dimensional measured values. With the robot, for the first time in the automotive industry, the engine and transmission are connected to each other in a torque-dependent manner;
- system advantages: in addition to the high degree of automation, the system also offers a more humane and safer workplace. The precision of the automatic assembly offers quality advantages for the service life and noise reduction of the following vehicle.

Based on the limited open access data provided by IBG [70], we conclude that the prototype assembly robotic arm has an advanced precision positioning system, the functioning of which is impossible without ensuring the integration of Industry 4.0 tools: the prototype robotic arm is equipped with an effective machine vision system with AI control elements in the general development of learning by machine learning technology. The obtained search results complement the results of the scientometric analysis and confirm the identified scientific problem and potential ways to solve it.

5. CONCLUSION

Based on the conducted research, the results that meet the initially set objectives in terms of identifying potential solutions for the implementation of full-cycle and full-featured automation of the assembly and technological process for the device control of a passenger car, which are expressed in the following analytical conclusions:

- multicomponent composition of the studied transmission unit of passenger car vehicles

creates technical difficulties in the organization and implementation of full-cycle automation of the assembly process, which is the root of the identified scientific problem;

- the results of the scientometric analysis of the correlation of taxonomic units of gearbox auto-linear assembly technology and methods, which brings the fourth wave of industrial progress on the leading scientometric databases in the five-year (2017/2022) search horizon using the VOSviewer tool [57] allows us to identify potential ways of solving the identified scientific and technological problem, which involve the introduction of improved tools and systems of automated robotization equipped with samples of tools of the current level of technological development Industry 4.0: machine vision, machine learning and general control of robot manipulator positioning in the production of assembly and production operations by elements of AI.

The next stage of research in the given vector of research is the formation of detailed mechanisms of implementation and adequate adaptation of potential Industry 4.0 tools in the mechanical assembly process of the passenger car control unit.

COMPETING INTERESTS

Author has declared that no competing interests exist.

REFERENCES

1. Anonymous. Automotive Production Data; 2022. MarkLines. Accessed 17 Nov 2022. Available:<http://cutt.ly/jCK6T9h>

2. European Automobile Manufacturers' Association. World motor vehicle production. ACEA; 2022. Accessed 17 Nov 2022. Available:<https://www.acea.auto/fig/world-motor-vehicle-production/>
3. Williams T, Turton V. Trading economics: A guide to economic statistics for practitioners and students. Nashville, TN: John Wiley & Sons; 2014. Accessed 17 Nov 2022. Available:<http://tradingeconomics.com/unit-ed-states/car-production>
4. Cherowbrier J. Production statistics. International Organization of Motor Vehicle Manufacturers. OICA; 2022, Accessed 17 Nov 2022. Available:<http://oica.net/category/production-statistics/2021-statistics>
5. Cherowbrier J. Automotive industry worldwide - statistics & facts. Statista; 2022. Accessed 17 Nov 2022. Available:<http://statista.com/topics/1487/automotive-industry/#dossierKeyFig.s>
6. BTS. World Motor Vehicle Production, Selected Countries. U.S. Department of Transportation; 2022. Accessed 17 Nov 2022. Available:<http://bts.gov/content/world-motor-vehicle-production-selected-countries>
7. SMMT. UK Vehicle Manufacturing Data - SMMT monthly data; 2016. Accessed 17 Nov 2022. Available:<http://smmt.co.uk/vehicle-data/manufacturing>
8. Gayiya SE, Makhanya B, Nel H. Optimal Body-in-white dimensional quality management in the body shop area in a car manufacturing plant. Proceedings of the International Conference on Industrial Engineering and Operations Management Monterrey. 2021;11:3-5. Accessed 17 Nov 2022. Available:https://www.researchgate.net/publication/26873000_Automotive_body-in-white_dimensional_stability_through_pre-control_application_in_the_subassembly_process
9. Hirz M, Brunner H, Nguyen TT. Greenhouse gas emissions of electric cars: A comprehensive evaluation. Teh glas. 2022;16(2):280–7. Available:<http://dx.doi.org/10.31803/tg-20220407135956>
10. Reimer J, Wang Y, Laridi S, Urdich J, Wilmsmeier S, Palmer G. Identifying cause-and-effect relationships of manufacturing errors using sequence-to-sequence learning. Research Square; 2022. Available:<http://arxiv.org/abs/2205.02827>
11. Shafiei E, Dauphin R, Yugo M. Optimal electrification level of passenger cars in Europe in a battery-constrained future. Transp Res D Transp Environ. 2022;102(103132):103132. Available:<http://dx.doi.org/10.1016/j.trd.2021.103132>
12. König S, Reihn M, Abujamra FG, Novy A, Vogel-Heuser B. Flexible scheduling of diagnostic tests in automotive manufacturing. Flex Serv Manuf J; 2022. Available:<http://dx.doi.org/10.1007/s10696-021-09438-3>
13. Khan HA, Tiwari A, Kaushik J, Yadav M, Bhaskar C. The next era of manufacturing the future: Making things in a changing world. Org.in; 2022. Accessed 17 Nov 2022. Available:https://ipeccst.ipecc.org.in/assets/doc/IJ09ME_07.pdf
14. Athanasopoulou L, Bikas H, Papacharalampopoulos A, Stavropoulos P, Chryssolouris G. An industry 4.0 approach to electric vehicles. Int J Comput Integr Manuf. 2022;1–15. Available:<http://dx.doi.org/10.1080/0951192x.2022.2081363>.
15. Papadopoulos T, Singh SP, Spanaki K, Gunasekaran A, Dubey R. Towards the next generation of manufacturing: implications of big data and digitalization in the context of industry 4.0. Prod Plan Control. 2022;33(2–3):101–4. Available:<http://dx.doi.org/10.1080/09537287.2020.1810767>
16. Ng TC, Lau SY, Ghobakhloo M, Fathi M, Liang MS. The application of Industry 4.0 technological constituents for sustainable manufacturing: A content-centric review. Sustainability . 2022;14(7):4327. Available:<http://dx.doi.org/10.3390/su14074327>
17. Soldatos J, Lazaro O, Cavadini F. The Digital Shopfloor-Industrial Automation in the Industry 4.0 Era: Performance Analysis and Applications; 2022.
18. Parmar H, Khan T, Tucci F, Umer R, Carlone P. Advanced robotics and additive manufacturing of composites: towards a

- new era in Industry 4.0. *Mater Manuf Process.* 2022;37(5):483–517.
Available:<http://dx.doi.org/10.1080/10426914.2020.1866195>
19. Ammar M, Haleem A, Javaid M, Bahl S, Verma AS. Implementing Industry 4.0 technologies in self-healing materials and digitally managing the quality of manufacturing. *Mater Today.* 2022;52:2285–94.
Available:<http://dx.doi.org/10.1016/j.matpr.2021.09.248>
 20. Papulová Z, Gažová A, Šufliarský L. Implementation of automation technologies of industry 4.0 in automotive manufacturing companies. *Procedia Comput Sci.* 2022;200:1488–97.
Available:<http://dx.doi.org/10.1016/j.procs.2022.01.350>
 21. Guo C. Research on the Process Simulation of robot automatic production line. *J Phys Conf Ser.* 2022;2183(1):012028.
Available:<http://dx.doi.org/10.1088/1742-6596/2183/1/012028>
 22. Hofmann M, Rudolf H, Mantwill F, Nees R. The influence of production and development on the automotive industry. *ATZ Worldw.* 2022;124(5):36–41.
Available:<http://dx.doi.org/10.1007/s38311-022-0808-9>
 23. Dai W, Li D, Zheng Y, Wang D, Tang D, Wang H, et al. Online quality inspection of resistance spot welding for automotive production lines. *J Manuf Syst.* 2022;63:354–69.
Available:<http://dx.doi.org/10.1016/j.jmsy.2022.04.008>
 24. Yang J, Son YH, Lee D, Noh SD. Digital twin-based integrated assessment of flexible and reconfigurable automotive part production lines. *Machines.* 2022;10(2):75.
Available:<http://dx.doi.org/10.3390/machines10020075>
 25. Savci IH, Yilmaz A, Karaman S, Ocakli H, Temeltas H. Improving navigation stack of a ROS-enabled industrial autonomous mobile robot (AMR) to be incorporated in a large-scale automotive production. *Int J Adv Manuf Technol.* 2022;120(5–6):3647–68.
Available:<http://dx.doi.org/10.1007/s00170-022-08883-0>
 26. Li YX, Cheng S, Chen ZW, Ye WQ, Pan GQ, Ye AX. Improvement strategy to minimize secondary impact of gear shift for commercial vehicle transmission. *J Fail Anal Prev.* 2022;22(4):1535–45.
Available:<http://dx.doi.org/10.1007/s11668-022-01444-3>
 27. Dhanraj JA, Sangeethalakshmi K, Kumar TS, Nagarajan P, Bharathi PS. An assessment on condition monitoring of automobile gearbox through naïve Bayes approach using statistical features. In: 2022 International Conference on Electronics and Renewable Systems (ICEARS). IEEE; 2022.
 28. Liu X, Xiang D, Zeng C, Huang F. The investigation of coupled vibration of automobile transmission system and its intelligent design. *Machines.* 2022;10(6):428.
Available:<http://dx.doi.org/10.3390/machines10060428>
 29. Abboud E. Simulation, mastering, and reduction of vibrations and noises in electric car gearbox transmission systems. Paris, HESAM; 2022.
 30. Chen Y. *Automotive transmissions: Design, theory and applications.* Singapore: Springer Singapore; 2021.
Available:<http://dx.doi.org/doi.org/10.1007/978-981-15-6703-2>
 31. Awari GK, Kumbhar VS, Tirpude RB. *Automotive systems: Principles and practice.* Awari GK, Kumbhar VS, Tirpude RB, editors. First edition. Boca Raton, FL : CRC Press/Taylor & Francis Group, LLC, 2021. CRC Press; 2021.
 32. Gaiselmann G, Altenburg S, Studer S, Peters S. Deep reinforcement learning for gearshift controllers in automatic transmissions. *Array.* 2022;15(100235):100235.
Available:<http://dx.doi.org/10.1016/j.array.2022.100235>
 33. Kim J. Real-time torque estimation of automotive powertrain with dual-clutch transmissions. *IEEE Trans Control Syst Technol.* 2022;30(6):2269–84.
Available:<http://dx.doi.org/10.1109/tcst.2021.3139765>
 34. Geng Z, Li G. Optimal clutch control of a one-way clutch assistant transmission for electrical vehicles. *Int j automot sci technol;* 2022.
Available:
<http://dx.doi.org/10.30939/ijastech..1119271>
 35. El Ahmadi SEA, El Abbadi L. Management and production engineering review. Production Engineering Committee of the

- Polish Academy of Sciences, Polish Association for Production Management; 2022.
Available:<http://dx.doi.org/10.24425/MPER.2022.140880>
36. Pratama MN, Gozali L. Line balancing in assembly line automotive carrosserie (body of a car) production process at PT. XYZ . *leomsociety.org*. Accessed 17 Nov 2022.
Available:<http://ieomsociety.org/proceedings/2021indonesia/91.pdf>
 37. Nunes ML, Folgado D, Fujao C, Silva L, Rodrigues J, Matias P, et al. Posture risk assessment in an automotive assembly line using inertial sensors. *IEEE Access* . 2022;10:83221–35.
Available:<http://dx.doi.org/10.1109/access.2022.3196473>
 38. Nelfiyanti, Mohamed N, Rashid M, Ramadhan AI. Parameters of effects in decision making of automotive assembly line using the Analytical Hierarchy Process method. *CIRP j manuf sci technol*. 2022;37:370–7.
Available:<http://dx.doi.org/10.1016/j.cirpj.2022.02.018>
 39. Müllerklein D, Fontaine P, Ostermeier F. Integrated consideration of assembly line scheduling and feeding: A new model and case study from the automotive industry. *Comput Ind Eng*. 2022;170(108288):108288.
Available:<http://dx.doi.org/10.1016/j.cie.2022.108288>
 40. Didden JBHC, Lefeber E, Adan IJBF, Panhuijzen IWF. Genetic algorithm and decision support for assembly line balancing in the automotive industry. *Int J Prod Res*. 2022;1–19.
Available:<http://dx.doi.org/10.1080/00207543.2022.2081630>
 41. Ebrahimi M, Mahmoodjanloo M, Einabadi B, Baboli A, Rother E. A mixed-model assembly line sequencing problem with parallel stations and walking workers: A case study in the automotive industry. *Int J Prod Res*. 2022;1–20.
Available:<http://dx.doi.org/10.1080/00207543.2021.2022801>
 42. Zbiss K, Kacem A, Santillo M, Mohammadi A. Automatic collision-free trajectory generation for collaborative robotic car-painting. *IEEE Access*. 2022;10:9950–9.
Available:<http://dx.doi.org/10.1109/access.2022.3144631>
 43. Anil Kumar D, Rath KC, Muduli K, Ajesh F. Design and modeling of virtual robot for industrial application in smart manufacturing assembly line. *Intelligent Systems*. 2022;471–83.
Accessed 17 Nov 2022]
Available:https://link.springer.com/chapter/10.1007/978-981-19-0901-6_42
 44. Bogue R. The changing face of the automotive robotics industry. *Ind Rob*. 2022;49(3):386–90.
Available:<http://dx.doi.org/10.1108/ir-01-2022-0022>
 45. Kholkujaev J, Maculotti G, Genta G, Galetto M, Inoyatkhodjaev J. Non-contact articulated robot-integrated gap and flushness measurement system for automobile assembly. *IEEE Access*. 2022;10:86528–41.
Available:<http://dx.doi.org/10.1109/access.2022.3199066>
 46. Bartoš M, Bulej V, Bohušík M, Stanček J, Ivanov V, Macek P. An overview of robot applications in automotive industry. *Transp res procedia*. 2021;55:837–44.
Available:<http://dx.doi.org/10.1016/j.trpro.2021.07.052>
 47. Javaid M, Haleem A, Singh RP, Suman R. Substantial capabilities of robotics in enhancing industry 4.0 implementation. *Cognitive Robotics*. 2021;1:58–75.
Available:<http://dx.doi.org/10.1016/j.cogr.2021.06.001>
 48. Stoilova S. *Automotive*. Beck & Pollitzer; 2020.
Accessed 17 Nov 2022.
Available:<https://beck-pollitzer.com/industries/automotive/>
 49. Gearbox manufacturing process. *Car Construction*. Delfi; 2020.
Accessed 17 Nov 2022.
Available:<https://www.newkidscar.com/automotive-engineering/gearbox-manufacturing-process/>
 50. Eckert JJ, da Silva SF, Santiciolli FM, de Carvalho AC, Dedini FG. Multi-speed gearbox design and shifting control optimization to minimize fuel consumption, exhaust emissions and drivetrain mechanical losses. *Mech Mach Theory*. 2022;169(104644):104644.
Available:<http://dx.doi.org/10.1016/j.mechmachtheory.2021.104644>
 51. Madhan Kumar S, Govindaraj E, Balamurugan D, Daniel F. Design analysis and fabrication of automotive transmission

- gearbox using hollow gears for weight reduction. *Mater Today*. 2021;45:6822–32. Available:<http://dx.doi.org/10.1016/j.matpr.2020.12.1005>
52. Zhang Z, Gao Y, Zhang Q, Liu H, Wang L. Reliability optimization design of transmission mechanism of automotive mechanical transmission based on feature extraction. *Converter*; 2021. Accessed 17 Nov 2022];2021(6):813–20. Available:<https://converter-magazine.info/index.php/converter/article/view/454>
 53. Barathiraja K, Devaradjane G, Bhattacharya A, Sivakumar V, Yadav V. Automotive transmission gearbox synchronizer sintered hub design. *Eng Fail Anal*. 2020;107(104213):104213. Available:<http://dx.doi.org/10.1016/j.engfailanal.2019.104213>
 54. Cerbu RF, Baroiu, N, Păunoiu V. 3D design of a automotive 5 speed synchromesh gearbox in Autodesk Inventor. *The Annals of «Dunărea de jos» University of Galați Fascicle V, Technologies in Machine Building*; 2020. Available:https://www.researchgate.net/publication/345789209_3D_DESIGN_OF_A_AUTOMOTIVE_5_SPEED_SYNCHROME_SH_gearbox_IN_AUTODESK_INVENTOR
 55. Xiangjie J, Cai Z, Fei Y, Zhang X, Wang Y. Multi-objective optimization of automobile gearbox design based on matlab. *Upb.ro*. Accessed 17 Nov 2022. Available:https://www.scientificbulletin.upb.ro/rev_docs_arhiva/full838_428527.pdf
 56. VOSviewer. Visualizing scientific landscapes. Accessed 17 Nov 2022. Available:<https://www.vosviewer.com/>.
 57. IRJET Journal. IRJET- indigenously design development and motion control of multi-DoF robotic manipulator. *IRJET*; 2022. Accessed 17 Nov 2022. Available:https://www.academia.edu/70262650/IRJET_Indigenously_Design_Development_and_Motion_Control_of_Multi_DoF_Robotic_Manipulator
 58. Pereira JAP, Campilho RDSG, Silva FJG, Sánchez-Arce IJ. Robotized cell design for part assembly in the automotive industry. *Proc Inst Mech Eng Part C*. 2022; 236(16):8807–22. Available:<http://dx.doi.org/10.1177/09544062221082860>
 59. Jiang J, Yao L, Huang Z, Yu G, Wang L, Bi Z. The state of the art of search strategies in robotic assembly. *J Ind Inf Integr*. 2022;26(100259):100259. Available:<http://dx.doi.org/10.1016/j.jii.2021.100259>
 60. Javaid M, Haleem A, Singh RP, Rab S, Suman R. Exploring impact and features of machine vision for progressive industry 4.0 culture. *Sensors International*. 2022; 3(100132):100132. Available:<http://dx.doi.org/10.1016/j.sintl.2021.100132>
 61. Charan A, Karthik Chowdary C, Komal P. The future of machine vision in industries- A systematic review. *IOP Conf Ser Mater Sci Eng*. 2022;1224(1):012027. Available:<http://dx.doi.org/10.1088/1757-899x/1224/1/012027>
 62. Kumar P, Singh D, Bhamu J. Machine vision in industry 4.0. In: *Machine Vision for Industry 40*. 1st Edition. Boca Raton: CRC Press. 2022;263–84.
 63. Nemeč B, Mavsar M, Simonic M, Hrovat MM, Skrabar J, Ude A. Integration of a reconfigurable robotic workcell for assembly operations in automotive industry. In: *2022 IEEE/SICE International Symposium on System Integration (SII)*. IEEE; 2022.
 64. Solke NS, Shah P, Sekhar R, Singh TP. Machine learning-based predictive modeling and control of lean manufacturing in automotive parts manufacturing industry. *Glob J Flex Syst Manag*. 2022;23(1):89–112. Available:<http://dx.doi.org/10.1007/s40171-021-00291-9>
 65. Dobra P, Jósvali J. Assembly line Overall Equipment Effectiveness (OEE) prediction from human estimation to supervised machine learning. *J Manuf Mater Process*. 2022;6(3):59. Available:<http://dx.doi.org/10.3390/jmmp6030059>
 66. Manimuthu A, Venkatesh VG, Shi Y, Sreedharan VR, Koh SCL. Design and development of automobile assembly model using federated artificial intelligence with smart contract. *Int J Prod Res*. 2022;60(1):111–35. Available:<http://dx.doi.org/10.1080/00207543.2021.1988750>
 67. Suhaib Kamran S, Haleem A, Bahl S, Javaid M, Prakash C, Budhhi D. Artificial

- intelligence and advanced materials in automotive industry: Potential applications and perspectives. Mater Today. 2022;62:4207–14.
Available:<http://dx.doi.org/10.1016/j.matpr.2022.04.727>
68. Bogue R. The changing face of the automotive robotics industry. Ind Rob. 2022;49(3):386–90.
Available:<http://dx.doi.org/10.1108/ir-01-2022-0022>
69. IBG Automation GmbH. Goeke Group. Technologies for logistics, aviation, pharmaceuticals and more. IBG Automation GmbH.
Accessed 17 Nov 2022.
Available:<https://www.goeke-group.com/en/homepage>
70. IBG Automation GmbH. [Internet]. Facebook.com.
[Cited 2022 Nov 29].
Available:<https://www.facebook.com/ibgAutomation/>.

© 2022 Filatov; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:
The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/94121>